

### **Amendments to the Claims:**

This listing of claims replaces all prior versions and listings of claims in the application:

### **Listing of Claims:**

1. (currently amended) A computer-implemented method for adjusting the color of pixels in an image, each pixel having one or more color values, the method comprising:

identifying a target region of pixels in the image that represent an object, the object having a shape and a predefined set of features; and

~~computing adjusting the a~~ color of one or more pixels in the target region ~~by an amount determined based from~~ on one or more probability functions and one or more spatial profile functions, each probability function defining a probability value at each of the one or more pixels in the target region, the probability value representing the probability that the pixel corresponds to one or more features of the object, each spatial profile function being defined based on one or more spatial properties of the object or one or more of its features.

2. (original) The method of claim 1, wherein the spatial properties include size.
3. (original) The method of claim 1, wherein the spatial properties include shape.
4. (original) The method of claim 1, wherein the spatial profile function is a sigmoid function.
5. (original) The method of claim 1, wherein the spatial profile function is a Gaussian function.
6. (original) The method of claim 1, wherein the spatial profile function is defined by a mask.
7. (original) The method of claim 1, wherein identifying a target region of pixels includes:  
receiving data that identifies the target region of pixels.
8. (original) The method of claim 1, wherein:  
at least one of the probability values represents the probability that the pixel corresponds to either a first feature or a second feature.

9. (currently amended) The method of claim 1, wherein:

the color computation changes amount of adjustment increases as the probability value increases.

10. (currently amended) The method of claim 1, wherein:

the color computation changes amount of adjustment increases as the probability value decreases.

11. (currently amended) The method of claim 1 wherein adjusting computing the color includes:

adjusting a first pixel by an amount determined based on a first probability value that corresponds to a first feature; and

adjusting a second pixel by an amount determined based on a second probability value that corresponds to a second feature.

12. (original) The method of claim 1, wherein:

the image is a photographic image including an eye exhibiting a redeye effect; and  
the identified region of pixels corresponds to a portion of the eye that exhibits the redeye effect.

13. (original) The method of claim 1, wherein:

the feature is one of skin, sclera, or redeye.

14. (currently amended) The method of claim 1, wherein adjusting computing the color includes:

adjusting computing the color to match a representative color for the region; and  
using the probability values to change the computation modulate the amount of adjustment.

15. (original) The method of claim 14, wherein the representative color represents an iris color for the eye.

16. (currently amended) The method of claim 1, wherein computing ~~adjusting~~ the color includes:  
desaturating the color of pixels in a subregion of the region; and  
using the probability values to modulate the amount of desaturation.
17. (original) The method of claim 16, wherein:  
the subregion is the center of the region.
18. (original) The method of claim 16, wherein:  
the subregion is an outer rim of the region.
19. (currently amended) The method of claim 1, wherein computing ~~adjusting~~ the color includes:  
defining a region of pixels in the image that corresponds to the pupil of the eye, each pixel  
having a luminance value; and  
reducing the luminance value of one or more of the pixels in the region.
20. (currently amended) The method of claim 1, wherein computing ~~adjusting~~ the color includes:  
~~adjusting~~ computing the color of a pixel based on the color values of pixels surrounding the  
pixel.
21. (currently amended) The method of claim 20, wherein computing ~~adjusting~~ the color of a  
pixel based on the color values of pixels surrounding the pixel includes:  
defining a window of pixels surrounding the pixel;  
determining a representative color for the window of pixels; and  
~~adjusting~~ computing the color value of the pixel to match the representative color for the  
window.
- 22-25. (withdrawn)

26. (currently amended) A computer-program product, tangibly embodied in a computer readable medium, for adjusting the color of pixels in an image, the computer program product comprising instructions operable to cause data processing equipment to perform operations comprising:

identifying a target region of pixels in the image that represent an object, the object having a shape and a predefined set of features; and

~~adjusting the computing a~~ color of one or more pixels in the target region ~~by an amount determined based on~~ from one or more probability functions and one or more spatial profile functions, each probability function defining a probability value at each of the one or more pixels in the target region, the probability value representing the probability that the pixel corresponds to one or more features of the object, each spatial profile function being defined based on one or more spatial properties of the object or one or more of its features.

27. (original) The product of claim 26, wherein the spatial properties include size.

28. (original) The product of claim 26, wherein the spatial properties include shape.

29. (original) The product of claim 26, wherein the spatial profile function is a sigmoid function.

30. (original) The product of claim 26, wherein the spatial profile function is a Gaussian function.

31. (original) The product of claim 26, wherein the spatial profile function is defined by a mask.

32. (original) The product of claim 26, wherein identifying a target region of pixels includes:  
receiving data that identifies the target region of pixels.

33. (original) The product of claim 26, wherein:

at least one of the probability values represents the probability that the pixel corresponds to either a first feature or a second feature.

34. (currently amended) The product of claim 26, wherein:

the color computation changes amount of adjustment ~~decreases~~ as the probability value increases.

35. (currently amended) The product of claim 26, wherein:

the color computation changes amount of adjustment ~~increases~~ as the probability value decreases.

36. (currently amended) The product of claim 26, wherein computing ~~adjusting~~ the color includes:

adjusting a first pixel by an amount determined based on a first probability value that corresponds to a first feature; and

adjusting a second pixel by an amount determined based on a second probability value that corresponds to a second feature.

37. (original) The product of claim 26, wherein:

the image is a photographic image to include an eye to exhibit a redeye effect; and  
the identified region of pixels corresponds to a portion of the eye that exhibits the redeye effect.

38. (original) The product of claim 26, wherein:

the feature is one of skin, sclera, or redeye.

39. (currently amended) The product of claim 26, wherein computing ~~adjusting~~ the color includes:

~~adjusting~~ computing the color to match a representative color for the region; and  
using the probability values to change the computation ~~modulate the amount of adjustment~~.

40. (original) The product of claim 39, wherein the representative color represents an iris color for the eye.

41. (currently amended) The product of claim 26, wherein computing ~~adjusting~~ the color includes:

desaturating the color of pixels in a subregion of the region; and  
using the probability values to modulate the amount of desaturation.

42. (original) The product of claim 41, wherein:  
the subregion is the center of the region.

43. (original) The product of claim 41, wherein:  
the subregion is an outer rim of the region.

44. (currently amended) The product of claim 26, wherein computing ~~adjusting~~ the color includes:

defining a region of pixels in the image that corresponds to the pupil of the eye, each pixel to have a luminance value; and  
reducing the luminance value of one or more of the pixels in the region.

45. (currently amended) The product of claim 26, wherein computing ~~adjusting~~ the color includes:

computing ~~adjusting~~ the color of a pixel based on the color values of pixels to surround the pixel.

46. (currently amended) The product of claim 45, wherein computing ~~adjusting~~ the color of a pixel based on the color values of pixels to surround the pixels includes:

defining a window of pixels to surround the pixel;  
determining a representative color for the window of pixels; and  
computing ~~adjusting~~ the color value of the pixel to match the representative color for the window.

47-50. (withdrawn)

51. (new) The method of claim 1 wherein computing the color includes computing the color based on an original color of the one or more pixels and a new color value of the one or more pixels.

52. (new) The product of claim 26, wherein computing the color includes computing the color based on an original color of the one or more pixels and a new color value of the one or more pixels.